

1 f

1 1 f

B Liu¹, K-W Lee¹, M Anzo¹, B Zhang², Xi³, Yo⁴, L Siy⁵, M Pak⁴, S Lin⁶ and Chen¹

1

ayab at angiogenesis ; BPs is
 anionally regulated hpa, a pent
 inhibitor of angiogenesis (Z-Guzatz
 2001) endothelial (Koong
 BPs is predominantly he
 as endothelial of human fibr
 at (an , 19) and binc opsita
 Bow and Bach, 20) with aggesa pib
 involved in angiogenesis regulation, phase of
 of a feedback mechanism in the
 that BPs is an abnormal
 in hypoxia-induced angiogenesis (C
 , 19) Lee , 19) and endothelial
 fibr , 20) (Hanya cent platon
 inhibits BPs as a negative inhibitor
 in the regulation of angiogenesis in head and
 neck squamous (K
 , 20)
 It is reported that BPs has an E
 independent inhibitory effect on angiogenesis (Sld
 to require a specific binding site,

;< "0"9.0 7 54 2 4 9 ;<
"2 " 4 5 0 .5+

99
9.4 4 4 4 0 0494
.44 ;< 6.4.4" 0 0 53 0 0
4 0 5 53 \$# ' " 5 5 4 2
... .. + #52 " 4 2 .2 4 3 77 "
\$ ' 0 4 ;< 4" .. 7 + " %
". 0 52 4 3 4" 4 64 7 6 9.0
9.. . = 4.4" 0 0 53 . 6 0 6 .

m-

BP3a injection of the opening into
the type of one-stage green fluorescent
protein (GFP) expression system
represents an integration of a GFP gene
into the promoter of the 2D and
utilized in the high-throughput screening of
antiangiogenic screening of
the vascular endothelial cells in green
fluorescence, the bodies can be easily realized
in levels in his angiogenic line. As shown in
Figure 7, injection of BP3a of the
resulted in a sharp increase in the trunk
and tail regions (Figure 7) in the presence of
filizator) by the general angiogenesis
related to the high and the remaining
vascular abnormalities, regional
sites are observed on the 10. T
the other side of the injection on the
front of BP3a injection, the
formation of BP3a which is evident
in the high angiogenic BP3a
and in the 6mm length in
the injection of the front is sent to
indistinguishable from the BP3
indicating that the effect of BP3a on vas-
culogenesis is independent of Esqation. The
apoptosis induced by the BP3a is not
characterized by the same as the non-
homologous recombination in the
injection of the 10, 10 as well as

0494 "#.2. 43" \$ 5 4 . I E '
9 4 4 1# 5" @ " 0 53 + B 49 0 4 .
6 4 4" 64 .377 " . " 4 .5
0 "4 .+

: 94 vascular formation matrigel assays
CE?D#0 . \$+ %'6 .2 " " 5 7 4 5
< 052 4 5" 5 \$:94 # .3" # E '
64 64 4 053 4 5 ;;< ?D;<
\$ 5 4 . I E ' " 9 " 0 4
54 3.5 4553 \$F .0 0. >. #
E ' . =6 2 4+ 74) 034 4 & 1#
4 53 7 2 . 7 5" 3 9.0 43
.4 04 . 6. 0 4" " 50 .02 7 0 6
\$:64. + %%'+

Materials
8 0 53 4 5 ;;< " ;;< 6 34 " 7 5
:B DF# 2+\$; ? E ' A 4" ".4 "
4 (%!##+ 0494 7 ;;< 7 34 ;;<:3 "
" 34 77 04 0 2 7 4 7 5 3 .4
0 0 #<&0 .6.0 @5"3 .4 "3 44
" \$ "54 4 ' "2 44 5 3
5" .. ".0 3" 2 9 . \$ 44 " **'
.2049 37 4 =2 5 4.\$"4 4. 6'+ 3;<;<
" 4 334 4. 5 .4 5 ;;< 6
2 0 ." 7 5 E2.4 4 :0+ \$ 0" B E '+
8 ;;< 6. 34 " 7 5 ; 2 2 \$ " " .4 '+
4 \$ +!5-5' 6.7 5 04 F 0 . 36
\$ "7 " E '+

Chicken embryo chorioallantoic membrane assay
" "7 4 " 6 4 .6 0 0 " "
0 0 53 . 64 404 .6 0 7 2 0"
% %%552 .40 4 ". .+ 74 !" . 7 0 3 4
K #! 4 &1# " . 7 5 4 0 . 0 4 %
" + m 7 ;;< " " 5. \$ 55'
6. 52 4" 4 # 7 " 9" 53 .+
5. "... 6 5" 3 ".004 7 %5 7 %+ K
54 0 . 64 + 74) " . 7 0 3 4
53 . "# .6 =5 " 7 4 7 5 4 7 6
3 " 9 .. 4 @ " 7 4 52 4" " .3 " ..04
50 .02+ F .. 7 5 4 0 . 0 4 6
." . 49 0 4 . \$# + **('+

Murine matrigel plug angiogenesis assay
..6 .. " .4 64 73 " 9 .. .7 5
.30 4 . 4 .. 7 5 0 4

0". 7 4 B 4 5 " 5 7 < 3 " 2 4
.. 4 7 7@ 4 < 3 " + J Clin Endocrinol
Metab <., *) *%+
" < 3 > # 8 D .. 5 ?
, \$**(+ ? .0 " 4 64 7 04 # " 0 .
.. + Proc Natl Acad Sci USA :7,
(*) *+
> 4 527 > ; 9 00 D ; C >
. , \$**(+ .5 . 64 7 04 :
" 2 .44 0 0 .. , 2 .2 04 9 .4 "+ Science38,
!)!!+
6 < 4 =4 8#+\$%%'+:..
64 7 04 3 " 2 4 ".4 . .4 0
" 2 0 4 .+ J Clin Endocrinol Metab::, ! (())! * +
.. # # >B 8 3 .4 +\$%%'+
8 2 " .. 7 .. " . 9 J .0 4
3 @. .. + Arterioscler Thromb Vasc Biol3 , *) * +
F 7 .; A9 .4 C>+\$%%%'? .0 " 4 64
7 04 " 4 .7 5 64 7 04 3 4 4 4
=2 .. 7 . 64 7 04 3 " 2 4
" 9 .. " 4 0 .+ Endocrinology-6- ,
%!)%!&+
F 7 4 6 C F>+\$**!'+:..
64 7 04 3 " 2 4 .4 .. 3 4 0
" 4 0 . . 7 04 7 0 " .4+ Biochem
Biophys Res Commun333 &() (+
F ; > 8 .. > 8 4 ; :
4 + \$%%%' 4 2 = "
..4 C:< 2 3 4 + Cancer Biol Ther6,
%)%!+
D 9 .D 0# 4 ; # B # .+\$%%'+
:.. 64 7 04 \$;<' . . A " 7
" . 4 " 9 25 4 7 4 3 @. 53 +
Int J Dev Biol 6<) %+
D 0 . ;< B 4 B 5 . +\$**'+
:.. 64 7 04 3 " 2 4 =2 ..
. .4 04 " 4 9 4 0 2 4 4 9 .+
Endocrinology- , &) &+
D " BD F . F8 . 8 +
\$**!' + 8 4 7 " 4 < . 4 .. "
.0 4 3 <: " ;< 3 4 +

Endothelial negative regulator of angiogenesis in
head and neck squamous carcinoma